

FIG. 1




FIG. 2





FIG. 3a

FIG. 3b






FIG. 5a

FIG. 5b




FIG. 6a




FIG. 6b




FIG. 6c




FIG. 6d

Subprogram	Called Subprogram	Number of calls (Quantity of information transferred fro caller to caller (bytes)	Quantity of information transferred from caller to called (bytes)	Quantity of Quantity of Information information information cansferred from transferred from caller to caller to caller (bytes)	Sum of transfer times (secs)
SP11	SP12	-		13	0.0524
SP12	DB1	3	16	13	0.1587

FIG. 7a

int.
0
ration.
1
4,1
Ų.
.00
(3)
ped.
beli
(f)
T.

				,002	ر(
	Calling Subprogram	Called Subprogram	Number of calls	Quantity of information transferred from caller to called		Sum of transfer times (secs)
	SP1	SP2	300		45,000	20
	SP1	SP3	550	5,000	20,000	30
	SP2	SP4	18	800	200	
	SP2	SP5	1600	5,000	150,000	100
	SP3	SP9	150	8,000	17,000	10
	SP3	SP20	95	200	2,000	5
	SP4	SP6	190	2,000	3,000	10
	SP5	SP7	1500	1,000	249,000	100
	SP5	SP8	06	1,000	4,000	5
13.	SP6	DB1	350	16,000	9,000	20
	SP7	DB1	150	5,000	20,000	10
		DB1	006	15,000	35,000	20
, 0,	SP9	DB1	50	500	24,500	5
732	В Р9	DB2	350	5,000	20,000	20
	SP20	DB2	1500	5,000	245,000	100
				TIIGINI	THOTHO	

FIG. 7b




FIG. 8




FIG. 9a

FIG. 9b




FIG. 10






FIG. 11




FIG. 12